



(19)

(11) Publication number: 02

Generated Document.

## PATENT ABSTRACTS OF JAPAN

(21) Application number: 63166151

(51) Intl. Cl.: C23C 14/46

(22) Application date: 04.07.88

(30) Priority:

(43) Date of application  
publication: 18.01.90(84) Designated contracting  
states:

(71) Applicant: MATSUSHITA ELECTRIC

(72) Inventor: TSUDA YOSHIYUKI  
YASUI HIDEAKI  
MUKAI YUJI  
TANAKA HIROYOSHI


(74) Representative:

(54) ION BEAM SPUTTERING  
DEVICE AND PRODUCTION  
OF THIN MULTICOMPONENT  
FILM

(57) Abstract:

PURPOSE: To form a thin multicomponent film free from the partial nonuniformity of composition ratio by staggering the time for the production of each individual ion beam and also changing voltages to be impressed on respective ion beam-drawing systems by means of individual ion guns.

CONSTITUTION: Microwave ion guns 12, 12' and ion beam-drawing systems 13, 13' equal or larger in number to or than the number of the components of a material contained in a sputtering target 4 are placed so that they radiate from the sputtering target 4 and have prescribed angles with respect to the target surface. A beam control device 16 in which radiant mode is regulated so that ion beams from individual plural ion guns 12, 12'



are emitted intermittently and the time for the radiant mode in the individual ion guns 12, 12' is staggered is provided. Simultaneously, drawing voltages to be impressed on the respective ion beam-drawing systems 13, 13' are changed with every ion gun. Accordingly, the nonuniform distribution of composition ratio at the time of forming a thin multicomponent film is removed, and the thin film of stable quality can be formed.

COPYRIGHT: (C)1990,JPO&Japio

Delphion **Intellectual Property Network**

To Search &amp; Research

[IPN Home](#) | [Search](#) | [Order](#) | [Shopping Cart](#) | [Login](#) | [Site Map](#) | [Help](#)**Patent Plaques**Recognize  
the achievement**JP2015168A2: ION BEAM SPUTTERING  
DEVICE AND PRODUCTION OF THIN  
MULTICOMPONENT FILM**[View Images \(1 pages\)](#) | [View INPADOC only](#)Country: **JP Japan**

Kind:

Inventor(s):

**TSUDA YOSHIYUKI  
YASUI HIDEAKI  
MUKAI YUJI  
TANAKA HIROYOSHI**

Applicant(s):

**MATSUSHITA ELECTRIC IND CO LTD**  
[News, Profiles, Stocks and More about this company](#)

Issued/Filed Dates:

**Jan. 18, 1990 / July 4, 1988**

Application Number:

**JP1988000166151**

IPC Class:

**C23C 14/46;**

Abstract:

**Purpose:** To form a thin multicomponent film free from the partial nonuniformity of composition ratio by staggering the time for the production of each individual ion beam and also changing voltages to be impressed on respective ion beam-drawing systems by means of individual ion guns.**Constitution:** Microwave ion guns 12, 12' and ion beam-drawing systems 13, 13' equal or larger in number to or than the number of the components of a material contained in a sputtering target 4 are placed so that they radiate from the sputtering target 4 and have prescribed angles with respect to the target surface.

A beam control device 16 in which radiant mode is regulated so that ion beams from individual plural ion guns 12, 12' are emitted intermittently and the time for the radiant mode in the individual ion guns 12, 12' is staggered is provided.

Simultaneously, drawing voltages to be impressed on the respective ion beam-drawing systems 13, 13' are changed with every ion gun. Accordingly, the nonuniform distribution of composition ratio at the time of forming a thin multicomponent film is removed, and the thin film of stable quality can be formed.

COPYRIGHT: (C)1990, JPO&amp;Japio

Other Abstract Info:

DERABS C90-062847 DERC90-062847

Foreign References:

(No patents reference this one)

Powered by **DB2**  
and **Net.Data****Nominate this  
invention  
for the Gallery...****Alternative  
Searches**[Patent Number](#)[Boolean Text](#)[Advanced Text](#)**Browse**[U.S. Class](#)[U.S. Class  
by number](#)**TDB**  
IBM Technical